
AD-A175 376 RELIABILITY MODELING AND INFERENCE FOR COHERENT SYSTEMS SUBJECT TO AGING (U) CALIFORNIA UNIV DAVIS INTERCOLLEGE DIV OF STATISTICS F J SAMANIEGO 28 AUG 86 UNCLASSIFIED AFOSR-TR-86-2194 AFOSR-84-8159 F/G 14/4 NL



(2)

AD-A175 376

_				REPORT DOCUME	NTATION PAG	E		
16 REPORT SECURITY CLASSIFICATION Unclassified					1b. RESTRICTIVE MARKINGS			
26 SECURITY CLASSIFICATION AUTHORITY					3 DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution			
20. DECLASSIFICATION/DOWNGRADING SCHEDULE					Approve }	a ror publi		iistributio ilimited
4. PERFORMING ORGANIZATION REPORT NUMBER(S)					5. MONITORING ORGANIZATION REPORT NUMBER(S)			
					AFOGR-TR- 86-2194			
64 NAME O	FPERFORM	NG ORGANIZA	TION	6b. OFFICE SYMBOL	78. NAME OF MONITORING ORGANIZATION			
University of California				(I) applicable)	AFOSR/NM			
6c. ADDRESS (City, State and ZIP Code)					7b. ADDRESS (City, State and ZIP Code)			
Division of Statistics Davis, CA 95616					Bldg 410 Bolling AFB DC 20332-6448			
Bo. NAME OF FUNDING/SPONSORING ORGANIZATION Sb. OFFICE SYMBOL (If applicable)					9 PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER			
AFOSR NM					AFOSR-84- 8205 0159			
B. ADDRESS (City, State and ZIP Code) Bldq 410					10. SOURCE OF FUI	PROJECT	TASK	WORK UNIT
80	olling AF	B DC 2033	2-6448	1	ELEMENT NO.	NO.	NO.	NO.
			757.5	- W	61103F	2304	, кз	
System	s Subje	ect to c	10112# 10112#	ality modeling a Shock and	Tergir	to tor a	uelen t	
12. PERSONAL AUTHORISI Professor Saman lego								
136. TYPE OF REPORT 136. TIME COVERED 8607010 86					14 DATE OF REPO		15. PAGE CO	OUNT
	MENTARY NO		430 00007	20				
								
17. FIELD	GROUP	P SUB GR		18. SUBJECT TERMS (C	onlinue on reverse if n	ecessarv and identi	TY DY BIOCK NUMBER	'
10 405704	CZ (Cantonia			didantification and a second				
	CT /Continue	on reverse it nec	essary and	d identify by block number	DT			
3					-			
\odot				(ELEC			
LLI					ÚEC 2 9	1966		
				(J			
ш.					D			
SELECTE DEC 2 9 1986								
=							•	ı
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT 21 ABSTRACT SECURITY CLASSIFICATION								
				C OTIC USERS C	Z. MOSTAMCT SECT	UMITT CLASSIFIC		
		IBLE INDIVIDU			225 TELEPHONE N	UMBER	22c OFFICE SYM	OL
Maijurr Wurntrufff					include Area Co			

(T)

Annual Report

on

Research Accomplished Under

Grant AFOSR 84-0159

July 1, 1985 - June 30, 1986

F.J. Samaniego, Principal Investogator

During this period, work was completed on six research projects, each reported upon in a separate technical report and submitted for publication.

These six papers are abstracted below:

Mostrants are provided for six reports, Topics include:

F.J. Samaniego and L.R. Whitaker (1986), on Estimating Population Characteristics from Record-Breaking Observations, 1: Parametric

Results, Naval Research Logistics Quarterly, 33, 531-544.

Abstract

Consider an experiment in which only record-breaking values (e.g., values smaller than all previous ones) are observed. The data available may be represented as X_1,K_1,X_2,K_2,\ldots , where X_1,X_2,\ldots are successive minima and K_1,K_2,\ldots are the numbers of trials needed to obtain new records. We treat the problem of estimating the mean of an underlying exponential distribution, and we consider both fixed sample size problems and inverse sampling schemes. Under inverse sampling, we demonstrate certain global optimality properties of an estimator based on the 'total time on test' statistics. Under random sampling, it is shown that an analogous estimator is consistent; however, an improved estimator is derived with smaller mean squared errorr for any fixed sample size. Applications to reliability and stress testing are indicated.

(em+)

2

II. R.A. Boyles and F.J. Samanieyo (1986), Estimating a Distribution Function Based on Momination Sampling; <u>Journal of the American Statistical Association</u>, to appear.

Abstract

Nomination sampling is a sampling process in which every observation is the maximum of a random sample from some population. Assuming that all samples are taken from a single underlying distribution F, data may be viewed as consisting of pairs (X_i, K_i) , where K_i is the size of the i^{th} sample and, given $K_i = k_i$, X_i is distributed according to i^{th} . Willemain (1980) discusses nomination sampling in the context of health care delivery. It also arises naturally in certain reliability experiments, and in situations where the available physical measurements (e.g., peak flows, maximum floods) are extreme values. The problem of estimating i^{th} is considered. The nonparametric maximum likelihood estimator of i^{th} is derived, its consistency is demonstrated, and its asymptotic behavior as a stochastic process is identified. Conditions are given under which these asymptotic results hold with K nonrandom.

R.A. Boyles and F.J. Samaniego (1986), On Estimating Component
Reliability for Systems with Random Redundancy Levels; IEEE

Transactions on Reliability, to appear.

Abstract

Redundancy is a well understood and widely used design factor which can contribute significantly to improve the reliability of a system or network.

Reliability is improved, for example, when any fixed component is replaced by



Title & Grant
per phone call JC Det

Avail and/or Special

A-1

a parallel system of K identically distributed components. In this study, we discuss and treat problems in which the level of redundancy K is a random variable governed by a (known or unknown) discrete probability model. Given repeated observations on K and on the lifetime X of a parallel system with K independent, identically distributed components, an estimator is derived for the reliability of the individual components. The consistency of the estimator is established, and its asymptotic distribution theory is discussed.

IV. S.G. Ghurye (1985), Some Multivariate Affetime Distributions;

Abstract

(cont)

This paper investigates some families of joint lifetime distributions for components of a system; these are motivated in part by physical models for failure and in part by considerations of mathematical convenience. A large family motivated solely by the latter is characterized by the property of lack of memory (L.O.M.) or age-independent residual lifetimes. Its mathematical convenience stems from the fact that it is the multivarate analogue of the one-dimensional exponenetial distribution. Unfortuantely, it is quite unrealistic for most applications, because it implies (and is implied by) the stochastic independence of the first-failure time and vector of residual lifetimes of the surviving components. The distributions studied here comprise extensions of the L.O.M. class, obtained by considering variations which might be more realistic for lifetimes. Three variations are studied: i) replacing the canonical form of L.O.M. distributions by a form which is less restrictive; ii) extending the functional equation which characterizes the L.O.M. class by

/ one which incorporates an aging factor; and iii) incorporating an aging
mechanism by means of shock models.

V. L.R. Whitaker and F.J. Samaniego (1985), Estimating the reliability of Systems Subject to Imperfect Repair; submitted for publication.

Abstract

This study of statistical inference for repairable systems focuses on the development of estimation procedures for the life distribution F of a new system based on data on system lifetimes between consecutive repairs. The Brown-Proschan 'Imperfect Repair' model postulates that, at failure, the system is repaired to a condition as good as new with probability p and is otherwise reparied to the condition just prior to failure. In treating issues of statistical inference for this model, we begin by pointing out the lack of identifability of the pair (p,F) as an index of the distribution of interfailure times T_1, T_2, \ldots We show that data pairs (T_i, Z_i) , $i = 1, 2, \ldots$ are necessary to render the parameter pair (p,F) identifiable, where Z_i is a Bernoulli variable which records the mode of repair (perfect or imperfect) following the ith failure. We demonstrate that the nonparametric maximum likelihood estimator of F exists only in special cases, but that a neighborhood maximum likelihood estimator \hat{F} (using the language of Kiefer and Wolfowitz, 1956) always exists and may be derived in closed form. We demonstrate the strong uniform consistency of F under mild assumptions, and prove weak convergence of an appropriately scaled version of \hat{F} to a Gaussian process. These results are shown to apply to various experimental designs (including renewal testing and inverse sampling) and to extend to the age-dependent imperfect repair model of Block, Borges and Savits (1956).

VI. L.R. Whitaker and F.J. Samaniego (1986), Consistent Estimation of a Survival Curve When New Is Better Than Used in Expectation. Technical Report, Division of Statistics, University of California, Davis.

Abstract

A distribution function is said to be "New Better than Used in Expectation" (NBUE) if for all t>0, the expected residual life length of a used item of age t is no larger than the expected life length of a new item. We address the problem of constructing a consistent estimator of F which also belongs to the NBUE class. A minimum distance estimator is obtained as a solution to a nonlinear programming problem. We develop a numerical algorithm for finding this solution, and establish the strong uniform consistency of the estimator.

Substantial progress has been made on several other research problems. Worthy of special mention are the following: (1) Nonparametric estimation based on record-breaking observations. In situations where the process of recording successive record-breaking observations can be replicated, the nonparametric maximum likelihood estimator of the underlying population distribution has been derived, and its asymptotic behavior has been identified. In particular, it is shown that this estimator is consistent, and that a properly normalized version of the estimator converges to a Gaussian process. In an appropriate context, the nonparametric approach to this problem is compared with the parametric approach taken in Paper I above. This work will soon appear in a technical report by Samaniego and Whitaker.

(2) Estimating survival when new is better than used at age to. Reneau and Samaniego have derived an estimator of the survival curve when this curve is

known to belong to the $NUB(t_0)$ class. The estimator belongs to the $NBU(t_0)$ class, is a consistent estimator, and converges to the true survival curve at an optimal rate. A technical report on this problem is under preparation.

Work continues in a number of reseach areas, including nonparametric estimation problems in reliability, and modeling, inference and optimization problems involving repairable systems.

EMD D

2 - 8 7

DTIC